




M222 HL.01.C9833

M224 HL.01.C9533

M222 PL.01.C9833


M224 PL.01.C9533

Belus 198




M222

Belus 248



M224

Photometric				Beam angle	Data	Photometric			
Type	code	Beam angle	Type			code	Beam angle	Data	
M222	C9833	114°	C-06	M224	C9533	114°	C-08		



25


Belus

UK Methusalem fixtures of the Belus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

NL Methusalem armaturen type Belus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

D Methusalem leuchten type Belus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen



Drivers

pag. 58-61

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL

Methusalem


DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-06	350	5040	139	3x34,5	36,3	3000	85
	500	6993	131	3x35,5	53,1	3000	85
C-08	500	7420	146	3x33,8	50,7	3000	85
	700	10180	141	3x34,5	72,3	3000	85
	900	12840	135	3x35,1	94,8	3000	85
	1050	14770	132	3x35,6	112,2	3000	85
	1200	16600	128	3x36,1	130	3000	85

keen
Lichtdesign




Belus 198



M222 HL.02

Belus 248



M224 HL.02

Type nr.		Citizen LED		Type nr.		Citizen LED	
Photometric		Beam angle		Photometric		Beam angle	
Type	code		Data	Type	code		Data
M222 HL.02	C0433	25°	C-06	M224 HL.02	C1533	21°	C-08
	C0533	36°			C1633	36°	
	C0633	50°			C1733	56°	
				Xicato LED			
				code	angle	Data	
				XL 33	21°		X-08
				XM 33	40°		
				XN 33	59°		

DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-06	350	5040	139	3x34,5	36,3	3000	85
	500	6993	131	3x35,5	53,1	3000	85
	700	9429	123	3x36,6	76,8	3000	85

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-08	500	7420	146	3x33,8	50,7	3000	85
	700	10180	141	3x34,5	72,3	3000	85
	900	12840	135	3x35,1	94,8	3000	85
	1050	14770	132	3x35,6	112,2	3000	85
	1200	16600	128	3x36,1	130	3000	85

Code	mA	Lm	Lm/W	Vf	W	K	CRI
X-08	500	6090	130	3x31,2	46,8	3000	85
	700	7100	121	3x31,9	66,9	3000	85
	1050	11550	113	3x32,5	102,3	3000	85

Drivers pag. 58-61

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL

Methusalem

Belus


UK Methusalem fixtures of the Belus series, made of aluminium, have the CLT label that guarantees the luminous flux, light color and lifespan.

NL Methusalem armaturen type Belus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

D Methusalem leuchten type Belus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen

Belus 198




M222HL.03.C9833

Lm	mA	Beam Angle	W	K	CRI
5000	350	114°	36,3	3000	85



Belus 248



M224 HL.03.C9533

Lm	mA	Beam Angle	W	K	CRI
10000	700	114°	72,3	3000	85



Belus


UK Methusalem fixtures of the Belus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

NL Methusalem armaturen type Belus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

D Methusalem leuchten type Belus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen

Belus 248



Driver inside

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL

Methusalem

M222HL.03.C9833	Ø 500	H 2000
M224HL.03.C9530	Ø 500	H 2000